

TALC

Version 1.5 Revision Date: 11/05/2022

SECTION 1. IDENTIFICATION

Product name : TALC

Synonyms : C-MS-AT-2042STDTALC, A-0005 FILLER, ABT® 1000, ABT®

2500, ABT® 2501, CERCRON® MB 2900, CERCRON® MB 3900, CERCRON® MB 50-60, CERCRON® MB 93-97, CERCRON® MB 96-68, CERCRON® MB 96-68

CERCRON® MB 96-67, CERCRON® MB 96-68, CERCRON® MB 99-01, CERCRON® Mp 97-30, CERCRON® MB 98-25,

CERCRON® MP 99-48, MICROTALC® BP-210, MICROTALC® DM 12-50, MICROTALC® MP 10-52, MICROTALC® MP 11-51, MICROTALC® MP 12-50, MICROTALC® MP 10-52, MICROTALC® MP 11-51,

MICROTALC® MP 15-50, 399 TALC, MICROTALC® MPD 12-50, MICROTALC® MP 12-52, MICROTALC® MP 15-38, MICROTALC® MP 20-40, MICROTALC® MP 25-38, MICROTALC® MP 30-36, MICROTALC® MP 50-26, MICROTALC® MP 70-22, MICROTALC® MP 98-28BC, MICROTALC® MP 45-26 BC, MICROTALC® MPD 2500, MICROTALC® MPD2501, MICROTALC® MPD1250UC,

MICROTALC® MPD2501, MICROTALC® MPD1250UC, MICROTALC® MP210, MICROSTUFF® 111, MICROSTUFF® 191, PC 2000, TALCRON® MP 10-52, TALCRON® MP 12-50, TALCRON® MP 15-38, TALCRON® MP 25-38, TALCRON® MP 30-36, TALCRON® MP 40-27, TALCRON® MP 44-26, TALCRON® MP 45-26, ULTRATALC® 609, ULTRATALC® 609D, 9910 TALC, TALCRON 25 LOA, TALCRON 35 LOA, TALCRON 40LOA, TALCRON 45 LOA, TALCRON 30 LOA, FLEXTALC 405D, FORTI-TALC™ 609LC TALC, FORTI-TALC™ 609HC TALC, FORTI-TALC™ MP1250LC TALC, FORTI-TALC™ MP1538HC TALC, TALCRON MP2040, PC

2000, ICMP 4426

Recommended use of the chemical and restrictions on use

Recommended use : industrial chemical

Restricted Uses : No data available

Supplier or Repackaging Details

Company : Univar Solutions Canada Ltd.

Address 64 Arrow Road

North York, ON, M9M 2L9

Canada

Manufactured By : Barretts Minerals Inc.

Emergency telephone number:

Local Emergency Contact: During Office hours Monday-Friday, 8.00 am - 4.30 pm (Pacific

Standard Time): 1-866-686-4827

Additional Information: : Responsible Party: Product Compliance Department

E-mail: SDSNA@univarsolutions.com SDS Requests: 1-855-429-2661 Website: www.univarsolutions.com

SDS Number: 100000045831 1 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

SECTION 2. HAZARD IDENTIFICATION

Hazardous Classification of the substance or mixture

Carcinogenicity : Category 1A

Label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H350 May cause cancer.

Precautionary statements : **Prevention**:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read

and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/

face protection. **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/

attention. Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-

posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	% by Weight	Synonyms
14807-96-6	Talc (Mg3H2(SiO3)4)	60 - 100	Talc
			(Mg3H2(SiO3)
			4)
14808-60-7	Quartz (SiO2)	0.1 - 1.0	Quartz (SiO2)
1318-59-8	Chlorite-group minerals	1 - 15	Chlorite-group
			minerals

Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST-AID MEASURES

SDS Number: 100000045831 2 / 9 TALC



In case of skin contact

TALC

Version 1.5 Revision Date: 11/05/2022

General advice : Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice

If symptoms persist, call a physician.

Wash off with soap and plenty of water.

If symptoms persist, call a physician.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do not induce vomiting without medical advice.

Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Unsuitable extinguishing

media

Hazardous combustion prod-

ucts

: High volume water jet

: No hazardous combustion products are known

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-

tive equipment and emer-

gency procedures

: Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

: Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against : Avoid dust formation. Provide appropriate exhaust ventilation

SDS Number: 100000045831 3 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

fire and explosion at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
14807-96-6	Talc (Mg3H2(SiO3)4)	TWA	0.1 fibres per cubic centimeter	CA BC OEL
		TWA (Respir- able particu- lates)	2 mg/m3	CA AB OEL
		TWA (Respir- able)	2 mg/m3	CA BC OEL
		TWA	2 fibres per cubic centimeter	CA ON OEL
		TWA (Respirable fraction)	2 mg/m3	CA ON OEL
		TWAEV (fi- bres)	1 fibres per cubic centimeter	CA QC OEL
		TWAEV (respirable dust)	3 mg/m3	CA QC OEL
14808-60-7	Quartz (SiO2)	TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWA (Respir- able)	0.025 mg/m3	CA BC OEL
		TWA (Respir- able particu- lates)	0.025 mg/m3	CA AB OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
		TWA (Respir- able)	0.025 mg/m3 (Silica)	CA BC OEL

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates

SDS Number: 100000045831 4 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

that exposures are within recommended exposure guidelines.

Filter type : Particulates type

In the case of dust or aerosol formation use respirator with an

approved filter.

Dust safety masks are recommended when the dust concen-

tration is more than 10 mg/m3.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Skin and body protection : Choose body protection according to the amount and concen-

tration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Powder Colour : white Odour : none

Odour Threshold : No data available pH : No data available

Freezing Point : No data available
Boiling Point : No data available
Flash point : No data available
Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available Relative vapour density : No data available

Relative density : 2.8 @ 20 - 25 °C (68 - 77 °F)

Reference substance: (water = 1)

Density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Auto-ignition temperature : No data available Thermal decomposition : No data available

SECTION 10. STABILITY AND REACTIVITY

SDS Number: 100000045831 5 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

: No dangerous reaction known under conditions of normal use. Reactivity

Chemical stability Stable under normal conditions. : No hazards to be specially mentioned.

Possibility of hazardous reac-

tions

Conditions to avoid : Keep away from heat, flame, sparks and other ignition

sources.

Dust formation

Incompatible materials : None known.

SECTION 11. TOXICOLOGICAL INFORMATION

Germ cell mutagenicity

Components:

14808-60-7:

Germ cell mutagenicity -

Assessment

: Mutagenicity classification not possible from current data

Carcinogenicity

Components:

14808-60-7: Species: Rat

Application Route: Inhalation

Exposure time: 2 yr Activity duration: 6 h Dose: 1 mg/m3

Frequency of Treatment: 5 days/week Result: evidence of carcinogenic activity

Symptoms: Tumors

Carcinogenicity - Assess-

: Human carcinogen.

ment

ACGIH Confirmed human carcinogen

> 14807-96-6 Talc (Mg3H2(SiO3)4)

Suspected human carcinogen

14808-60-7 Quartz (SiO2)

Reproductive toxicity

Components:

14808-60-7:

Reproductive toxicity - As-

sessment

Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

SDS Number: 100000045831 6/9 **TALC**



TALC

Version 1.5 Revision Date: 11/05/2022

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

14808-60-7:

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

: No data available

mation

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and

federal regulations.

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Uni-

var Solutions ChemCare: 1-800-637-7922

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

SDS Number: 100000045831 7 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

TDG (Transportation of Dangerous Goods): Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory

DSL : All components of this product are on the Canadian DSL

AICS : not determined

NZIoC : not determined

ENCS : not determined

KECI : not determined

PICCS : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions EHS Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 11/05/2022

Legacy SDS: : R0235863

SDS Number: 100000045831 8 / 9 TALC



TALC

Version 1.5 Revision Date: 11/05/2022

Material number:

16181565, 16175052, 16168975, 16174816, 16169664, 16174840, 16175051, 16175895, 16175259, 16168532, 16168832, 733419, 16155659, 16155665, 16157504, 16148565, 16156919, 16157692, 16155191, 16160178, 16140454

Key or legend to abbreviations and acronyms used in the safety data sheet					
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%		
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level		
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency		
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health		
CNS	Central Nervous System	NTP	National Toxicology Program		
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals		
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level		
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration		
EGEST	EOSCA Generic Exposure Sce- nario Tool	OSHA	Occupational Safety & Health Administration		
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit		
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances		
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act		
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit		
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.		
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value		
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average		
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials		
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System		
LC50	LC50		Lethal Concentration 50%		

SDS Number: 100000045831 9 / 9 TALC